

ERICSSON DIALOG 4000 IP TELEPHONES

High-performance telephones for your business



Dialog 4000 IP telephones are IP telephones that harness the combined power of customers' existing data networks and Ericsson communications systems. Elegant and sophisticated, the Dialog 4000 IP is the intelligent solution for simplified, cost-effective migration to the world of IP telephony.

Remote upgrading of configurations or software from a central location simplifies operation and maintenance. Regardless of location, the IP telephones are kept constantly up to date with the most current software and ready to receive new technical enhancements.

Dialog 4000 IP telephones comply with all existing standard requirements, as well as the latest environmental and safety regulations.

Dialog 4000 IP telephones have a number of advanced security and safety features. Ease-of-use and ease-of-maintenance are focus areas for new IP platform development and will continue to be so in future feature enhancements.



Dialog 4425 IP Vision version 2



Dialog 4422 IP Office version 2

Features

- Easy migration to IP telephony
- Elegant design and superior ergonomics
- Compliance with environmental standards
- Easy operation and maintenance
- User mobility (free seating)

Models

- Dialog 4420 IP Basic
- Dialog 4422 IP Office
- Dialog 4425 IP Vision

Excellent Voice Quality and Telephony Services

- Support for Ericsson MX-ONE™, BusinessPhone, and MD Evolution telephony systems
- Speaker for monitoring calls and listening to telephony services (for example, interactive voice systems, news and weather forecasts)
- Equipped with hearing aid support and acoustic shock protection
- Quality of service (QoS): Packet prioritization for speech and signaling according to DiffServ. Layer 2 QoS

Telephony System	Minimum Requirements
Ericsson MX-ONE™	Telephony Server 2.0 or Telephony Switch
Ericsson MD110	BC12 Service Pack 9
Ericsson BusinessPhone*	Version 7.0
Ericsson MD Evolution/EBN	Version 8.0 c
Ericsson EBG	Version 3.1.6

*Ericsson BusinessPhone only supports Dialog 4422 and Dialog 4425.

Call Features	
Emergency call support	•
Fixed number assignment	•
Monitor speaker	•
Mute function	•
Volume control	•
Programmable ringtones (max. volume >72dBA)	10
Speed dialing	•
Increased volume for users with impaired hearing	•
Acoustic shock protection: ETS 300 245-2	•

VoIP Features	
DHCP	•
RTP, IETF RFC 3550	•
Quality of Service, IEEE 802.1p&q and DiffServ	•
VLAN support IEEE 802.1p&q	•
Support for codecs G.711, G.729a, G.729ab, G.723.1	•
H.323 V4	•
Branch office survivability support	•
SIP support	•
Support for encrypted media stream (SRTP)	•



Dialog 4420 IP Basic

Upgradeable

With third-generation hardware, we are introducing a new IP platform that is preconfigured for further implementation of advanced functions and features, following the natural evolution of IP telephony.

- Support for firmware downloads from web servers – enabling new functionality with future telephony system software releases – making the telephone future-proof
- Support for all major voice compression codecs for bandwidth savings

Dialog 4420 IP Basic is positioned as an entry-level IP telephone, primarily intended for use in non-communications-intensive areas such as office reception areas, general meeting/service areas, manufacturing and retail shop floors.

Dialog 4422 IP Office is a mid-range IP telephone, offering the functionality needed for users working in high-efficiency business environments. It is also well-suited as a convenience phone in public/service areas.

Dialog 4425 IP Vision is a high-end IP telephone with advanced features, including multiple line handling and graphical display built to handle all user needs. It can also be used in small conference rooms.

Up-to-Date

- SIP can be used with the MX-ONE™ Telephony Server. Features (such as callback and conference calls) are initiated in the same way as with analog telephones (suffix dialing).
- Media encrypted with SRTP (Secure Real-Time Transport Protocol) and signaling with TLS (Transport Layer Security)
- IP recording of calls with NICE recording platform
- Security authentication with RADIUS servers using EAP (Extension Authentication Protocol), IEEE 802.1x.
- PoE (Power over Ethernet) Power Class 1, IEEE 802.3af. This enables centralized power supply with the associated capability for power supply back-up. The telephones automatically detect power of less than 4W.
- Compliant with the EU directive for RoHS (Restriction of Hazardous Substances).

Product features Ericsson Dialog IP telephones	4420 IP Basic	4422 IP Office version 2	4425 IP Vision version 2
Dimensions (HxWxL)	92x159x230 mm	92x159x230 mm	102x240x234 mm
Function keys with LEDs	12	13	23
Programmable keys	7	7	17
Support for extra key panel with 17 keys	–	1	4
User mobility: Logon and calls	–	•	•
Hands-free speaker, full duplex/AEC	–	•	•
Headset port and key	–	•	•
Programmable ringtones	•	•	•
Option unit with support for extra bell or busy signals	–	•	•
Call list	–	•	•
Contacts (up to 1000)	–	•	•
Graphic display, LCD	–	128x25 pixel	320x80 pixel
Adjustable viewing angle	–	•	•
Adjustable contrast	–	•	•
Backlit display	–	–	•
Internet browser	–	–	•
Corporate directory	–	–	•

Common Features

Programmable keys

Function keys with LEDs

Power

Power over Ethernet (PoE),
IEEE 802.3af. Power Class 1 48 V DC

Optional power adapter – input 100 – 230 V AC
– output 24 V AC

Average consumption using PoE 2 W

Average consumption using power adapter 3 W

Support for AC/AC external power supply

Special Features

2-port Ethernet switch, 10/100 BaseT/TX
(autosense)

Integrated web server for maintenance

Colors Light grey
Dark grey

Firmware downloads from web servers

Environmental Conditions

Operating temperatures +5° – +45°C

Storage temperatures +/-0° – +70°C

Relative humidities 5 – 90%

Regulatory Compliance

Acoustic shock protection: ETS 300 245-2

Hearing aid compatibility: ITU-T P.370 (8/96)
and FCC; Part 68, Subpart D American

EU RoHS directive 2002/95/EC

More info: www.ericsson.com/sdoc

Service and Support

If you need technical assistance, please contact your local Ericsson service partner. A list of certified service partners can be found at www.ericsson.com

Accessories

- Telephone toolbox on CD-ROM including Designation Card Manager (DCM) software and user guide/quick reference guide in PDF format:
<http://www.ericsson.com/enterprise/library/manual.shtml>
- Country-dependant AC/AC power supply unit
- LAN cable

Recycling

Ericsson Dialog 4000 IP telephones are recyclable. Please contribute to the prevention of waste by sending used equipment to environmentally certified processing facilities.

Ericsson ensures environmentally sound handling and recycling of equipment sent to any of our collection points.

Ericsson AB
SE-126 25 Stockholm
www.ericsson.com/enterprise

EN/LZT 102 3849-RD
© Ericsson AB, 2007